

Referenzübersicht – Schlüsselfertige Biogasanlagen

| # | Anlage | Ort | Seit | Leistung* | Beschreibung/Highlights |
|----------------|-----------------------|-----------------------|------|-----------|--|
| England | | | | | |
| 1 | BGA Teesside | TS2 1HG Middlesbrough | 2015 | 5.098 kW | Waste processing plant Biomethane injection of 700 Nm ³ /h |
| 2 | BGA Hartlepool | TS25 2BQ Hartlepool | 2018 | 5.096 kW | |
| 3 | BGA Imperial Park | TS6 6BA Middlesbrough | 2017 | 4.988 kW | Waste processing plant |
| 4 | BGA Brocklesby | HU15 2PG Brough | 2017 | 2.328 kW | Waste processing plant |
| 5 | BGA Chichester | PO18 9DA West Sussex | 2017 | 1.800 kW | Pasteurization system, Economizer |
| 6 | BGA Attleborough | NR17 1AE Attleborough | 2022 | 1.600 kW | General overhaul of an existing plant Biomethane injection of 1000 Nm ³ /h |
| 7 | BGA Evercreech | BA4 6NA Somerset | 2022 | 1.000 kW | Food unpacking Biomethane injection of 1000 Nm ³ /h |
| 8 | BGA Copella | CO10 5NY Suffolk | 2014 | 999 kW | |
| 9 | BGA Abertanat | SY10 8NA Shropshire | 2018 | 800 kW | |
| 10 | BGA Scunthorpe | DN15 9GE Scunthorpe | 2019 | 800 kW | |
| 11 | BGA Gay Dawn Farm | DA4 9DU Kent | 2019 | 530 kW | |
| 12 | BGA Kent | ME17 3SA Kent | 2016 | 500 kW | |
| 13 | BGA Clapton | TA 18 8QA Somerset | 2014 | 499 kW | |
| 14 | BGA Wappingthorn Farm | BN44 3AA West Sussex | 2015 | 499 kW | |
| 15 | BGA Telford | TF1 7FA Shropshire | 2016 | 499 kW | Hygienisation, abattoir waste |
| 16 | BGA Wardley | NE10 8YX Gateshead | 2020 | 499 kW | Biomethane injection of 600 Nm ³ /h |
| 17 | BGA New Hook Farm | SHEERNESS ME12 3SU | 2020 | 499 kW | Biomethane injection of 515 Nm ³ /h |

***inkl. Erweiterungsprojekte**

| | | | | | |
|-------------------|---------------------|---------------------------------|------|----------|---|
| 18 | BGA Blaise | ME19 4PN West Malling | 2020 | 499 kW | Depack Unit Biomethane injection of 700 Nm ³ /h |
| 19 | BGA Crofthead | DG2 8QW Dumfries | 2021 | 499 kW | Biomethane injection of 500 Nm ³ /h |
| 20 | BGA Lower Drayton | ST19 5RE Penkridge | 2021 | 499 kW | Ekogea Micronisation Biomethane injection of 600 Nm ³ /h |
| 21 | BGA Castle Eaton | SN6 6JX Castle Eaton | 2022 | 499 kW | General overhaul of an existing plant |
| 22 | BGA Meden Vale | NG20 9JX Nottinghamshire | 2016 | 355 kW | Gas upgrading 1,000 Nm ³ /h, Heat recovery after hygienisation Biomethane injection of 700 Nm ³ /h |
| 23 | BGA Pool Wharf Farm | HR2 8DR Hereford | | 350 kW | |
| 24 | BGA Staffordshire | ST20 0PX Staffordshire | 2016 | 249 kW | |
| Estland | | | | | |
| 25 | BGA Vinni | 46601 Lääne-Virumaa | 2013 | 1.363 kW | |
| 26 | BGA Oisu | 72301 Väljaotsa küla, Türi vald | 2013 | 1.130 kW | |
| Frankreich | | | | | |
| 27 | BGA Leffincourt | 08310 Machault | 2016 | 500 kW | 2017 upgrade from 250 kWel to 500 kWel |
| 28 | BGA Lamelot | 18130 Vornay | 2017 | 250 kW | |
| 29 | BGA Charpentier | 77120 Chailly en Brie | 2022 | | Biomethane injection of 180 Nm ³ /h |
| 30 | BGA Lheureux | 51230 Fère-Champenoise | 2020 | | Biomethane injection of 160 Nm ³ /h |
| 31 | BGA Saumur | 49400 Chacé | 2020 | | Biomethane injection of 184 Nm ³ /h |
| 32 | BGA Quelmes | 62500 Quelmes | 2020 | | Biomethane injection of 250 Nm ³ /h |
| 33 | BGA Deschamps | 76640 Cleville | 2021 | | Biomethane injection of 250 Nm ³ /h |
| 34 | BGA Le Puisot | 08300 Sorbon | 2021 | | Biomethane injection of 150 Nm ³ /h |
| 35 | BGA Gazma | 51380 Vaudemange | 2022 | | Biomethane injection of 150 Nm ³ /h |
| 36 | BGA Charmentray | 77410 Charmentray | 2022 | | Biomethane injection of 160 Nm ³ /h |

| | | | | | |
|---------------------|-------------------|----------------------------------|------|----------|---|
| 37 | BGA Mourot | 77173 Chevry-Cossigny | 2022 | | Biomethane injection of 140 Nm ³ /h |
| 38 | BGA Lefeu (FR) | 28500 Germainville | 2022 | | Biomethane injection of 140 Nm ³ /h |
| Griechenland | | | | | |
| 39 | BGA Farsala | 403 00 Farsala | 2018 | 1.487 kW | |
| 40 | BGA Sochos | 57002 Sochos | 2016 | 999 kW | |
| 41 | BGA Karditsa | 43300 Sofades / Karditsa | 2018 | 500 kW | |
| 42 | BGA Farm Tek | 30004 Aktio-Vonitsa, Medeon | 2021 | 500 kW | |
| 43 | BGA Mesovounia | 30500 Amfilochia/Aitoloakarnania | | | |
| Irland | | | | | |
| 44 | BGA Roscommon | F45 V446 Co. Roscommon | 2017 | 998 kW | Digestion of sewage sludge (biosolids), fats oils and greases and rumen content Production of 1 MW electricity |
| Italien | | | | | |
| 45 | BGA Nonantola | 41015 Nonantola Modena | 2013 | 1.000 kW | |
| 46 | BGA Viadana | 46019 Viadana (MN) | 2013 | 1.000 kW | |
| 47 | BGA Mirandola | 41037 Mirandola | 2012 | 800 kW | Dry fermentation, Separation, Technology module |
| 48 | BGA Finale Emilia | 41034 Finale Emilia | 2010 | 750 kW | First biogas plant built in Italy |
| 49 | BGA Gonzaga | 46020 Palidano di Gonzaga (MN) | 2015 | 265 kW | |
| 50 | BGA Castelleone 1 | 26012 Castelleone | 2012 | 250 kW | |
| 51 | BGA Castelleone 2 | 26010 Fiesco, Cremona | 2012 | 250 kW | |
| 52 | BGA Campegine | 42040 Campegine | 2013 | 250 kW | |
| 53 | BGA Bovinzoo | 47030 Borghi (FC) | 2015 | 190 kW | |
| Lettland | | | | | |
| 54 | BGA Divjumi (LV) | 3022 Jelgavas nov. | 2015 | 600 kW | |

| Niederlande | | | | | |
|--------------------|--------------------|-----------------------------------|------|----------|--|
| 55 | BGA Het Haantje | 07847 Coeverdon TD't Haantje | 2009 | 6.520 kW | Power sale on the energy stock market, Load management, Digestate processing with ultra filtration |
| 56 | BGA Tjuchem | 9939 TD Tjuchem | 2011 | 800 kW | |
| Tschechien | | | | | |
| 57 | BGA Loukovec | 294 13 Loukov u Mnichova Hradište | 2012 | 1.000 kW | Heating of homes and barns |
| 58 | BGA Bukovec | 34562 Holysov | 2009 | 907 kW | approx. 50% solid manure |
| 59 | BGA Rapotín | 78814 Rapotín | 2016 | 905 kW | Waste processing plant |
| 60 | BGA Usilov | 34506 Usilov | 2012 | 637 kW | |
| 61 | BGA Drevec | 331 41 Drevec | 2012 | 600 kW | |
| 62 | BGA Stankov | 34561 Stankov | 2012 | 600 kW | |
| 63 | BGA Ahnikov | 431 02 Málkov | 2013 | 600 kW | Waste processing plant |
| 64 | BGA Kratosice | 392 01 Sobeslav | 2013 | 600 kW | |
| 65 | BGA Strunkovice | 384 26 Strunkovice nad Blanicí | 2014 | 550 kW | |
| 66 | BGA Hroby | 39155 Radenín | 2014 | 550 kW | |
| 67 | BGA Pleše | 378 21 Kardašova Řečice | 2010 | 537 kW | Digesters and secondary digesters can be fed in parallel through an inlet for solid matter, mixing tank with outlet, digestion of 5% grass silage and 5% solid manure proportion |
| 68 | BGA Výškov | 44001 Louny | 2013 | 526 kW | |
| 69 | BGA Zabovresky | 25601 Benešov | 2013 | 526 kW | |
| 70 | BGA Mladá Boleslav | 29301 Mladá Boleslav | 2022 | 500 kW | |
| Türkei | | | | | |
| 71 | BGA Enerbes | 06900 Polatlı/Ankara | | 4.500 kW | |
| 72 | BGA Körpınar 2019 | 34662 Istanbul | | 3.000 kW | |
| 73 | BGA Edincik | 10640 Edincik | 2014 | 2.134 kW | |
| 74 | BGA Karaman | 70000 Karaman | 2015 | 1.414 kW | |

| Deutschland | | | | | |
|-------------|---------------|-------------------------------|------|----------|--|
| 75 | BGA Ahe | 27616 Kirchwis- tedt | 2012 | 3.800 kW | |
| 76 | BGA Kaarßen | 19273 Kaarßen | 2005 | 2.840 kW | <p>Production of manure concentrate by va- pourising final feedstock , Complete use of thermal heat, Co-financing and operation of the plant by bioconstruct</p> <p>Information for the public in accordance with sections 8a and 11 of the German Hazardous Incidents Ordinance (Störfallverordnung, 12. BlmSchV) can be found here.</p> |
| 77 | BGA Lünen | 44532 Lünen | 2009 | 2.500 kW | <p>Micro gas distribution system (length 6,5 km), 10 satellite-CHP units with 250 kWel each, enamelled Steel tanks, Operated by municipal utility company</p> |
| 78 | BGA Strohe | 27243 Colnrade | 2011 | 2.360 kW | <p>Micro gas distribution system with satellite CHP unit, Wood drying</p> |
| 79 | BGA Wremen | 27639 Wurster Nordseeküste | 2007 | 2.167 kW | <p>Wood drying for pellet production 2017 upgrade from 500 kWel to 870 kWel 2020 upgrade from 870 kWel to 1.771 kWel, additionally extended by a buffer tank (57m³), a fermentation residue storage and the gas technology</p> <p>Information for the public in accordance with sections 8a and 11 of the German Hazardous Incidents Ordinance (Störfallverordnung, 12. BlmSchV) can be found here.</p> |
| 80 | BGA Springe | 31832 Springe | 2012 | 2.050 kW | <p>2018 Extension of one digestate storage tank. 2020 upgrade from 1.050 kWel to 2.050 kWel</p> <p>Information for the public in accordance with sections 8a and 11 of the German Hazardous Incidents Ordinance (Störfallverordnung, 12. BlmSchV) can be found here.</p> |
| 81 | BGA Winnert | 25887 Winnert | 2006 | 2.026 kW | <p>Heating of barns and homes, 2018 upgrade from 500 kWel to 2.000 kWel</p> <p>Information for the public in accordance with sections 8a and 11 of the German Hazardous Incidents Ordinance (Störfallverordnung, 12. BlmSchV) can be found here.</p> |
| 82 | BGA Goldelund | 25862 Goldelund | 2011 | 1.870 kW | <p>2011 upgrade from 499 kWel tp 869 kWel 2019 upgrade from 869 kWel to 1.769 kWel</p> |
| 83 | BGA Exeler | 48432 Rheine | 2015 | 1.840 kW | <p>2017 upgrade from 780 kWel to 1.310 kWel</p> <p>Information for the public in accordance with sections 8a and 11 of the German Hazardous Incidents Ordinance (Störfallverordnung, 12. BlmSchV) can be found here.</p> |
| 84 | BGA Altranft | 16259 Bad Freien- walde | 2010 | 1.824 kW | <p>2019 upgrade from 600 kWel to 1.237 kWel</p> |

| | | | | | |
|----|-----------------|--------------------------|------|----------|--|
| 85 | BGA Zens | 39221 Zens | 2014 | 1.790 kW | 2018 upgrade from 889 kWel to 1.790 kWel Information for the public in accordance with sections 8a and 11 of the German Hazardous Incidents Ordinance (Störfallverordnung, 12. BImSchV) can be found here . |
| 86 | BGA Ardestorf | 21614 Buxtehude | 2011 | 1.550 kW | |
| 87 | BGA Dörpum | 25821 Dörpum | 2007 | 1.526 kW | Heating of barns and homes, Joint operation by 8 farmers 2019 upgrade from 625 kWel to 1.526 kWel |
| 88 | BGA Deinste | 21717 Fredenbeck-Deinste | 2011 | 1.470 kW | Heating of barns and homes, heat grid 2018 upgrade from 940 kWel to 1.470 kWel Information for the public in accordance with sections 8a and 11 of the German Hazardous Incidents Ordinance (Störfallverordnung, 12. BImSchV) can be found here . |
| 89 | BGA Vettweiß | 52391 Vettweiß | 2012 | 1.460 kW | 2018 upgrade from 370 kWel to 900 kWel Biomethane injection of 700 Nm ³ /h Information for the public in accordance with sections 8a and 11 of the German Hazardous Incidents Ordinance (Störfallverordnung, 12. BImSchV) can be found here . |
| 90 | BGA Drochtersen | 49328 Drochtersen | 2009 | 1.438 kW | Installation of our pre-fabricated technology module |
| 91 | BGA Tripkau | 19273 Tripkau | 2006 | 1.432 kW | 2007: upgrade from 500 kWel to 716 kWel, Since 2009: Local heat grid into town to supply several homes |
| 92 | BGA BERD 2 | 26892 Dörpen | 2012 | 1.430 kW | Heating of barns 2017 upgrade from 526 kWel to 1.430 kWel |
| 93 | BGA Libur | 51147 Köln | 2008 | 1.404 kW | Bulk goods drying, 2018 upgrade from 500 kWel to 1.404 kWel |
| 94 | BGA BERD 1 | 26892 Dörpen | 2011 | 1.404 kW | Heating of barns 2017 upgrade from 500 kWel to 1.404 kWel |
| 95 | BGA Faulenhofe | 21730 Balje | 2012 | 1.401 kW | Heating of chicken barns 2020 upgrade from 560 kWel to 1.461 kWel, additionally extended by a fermentation residue storage |
| 96 | BGA Itzstedt | 24114 Kiel | 2009 | 1.341 kW | Heat supply for a research centre by satellite CHP unit |
| 97 | BGA Bersenbrück | 49593 Bersenbrück | 2012 | 1.326 kW | Information for the public in accordance with sections 8a and 11 of the German Hazardous Incidents Ordinance (Störfallverordnung, 12. BImSchV) can be found here . |

| | | | | | |
|-----|--------------------------------|-----------------------|------|----------|--|
| 98 | BGA Seeverns | 26969 Butjadingen | 2012 | 1.300 kW | 2012 upgrade to 750 kWel and digestate separation Information for the public in accordance with sections 8a and 11 of the German Hazardous Incidents Ordinance (Störfallverordnung, 12. BImSchV) can be found here . |
| 99 | BGA Oelde | 59302 Oelde | 2011 | 1.290 kW | Micro gas distribution system with satellite CHP unit, 2012 upgrade from 570 kWel to 760 kWel, 2018 upgrade from 760 kWel to 1.290 kWel Information for the public in accordance with sections 8a and 11 of the German Hazardous Incidents Ordinance (Störfallverordnung, 12. BImSchV) can be found here . |
| 100 | BGA Waffensen | 27356 Rotenburg/Wümme | 2014 | 1.274 kW | 2016 upgrade from 536 kWel to 1173 kWel |
| 101 | BGA Mirow | 17252 Mirow | 2014 | 1.249 kW | 2019 upgrade from 1.069 kWel to 1.279 kWel Information for the public in accordance with sections 8a and 11 of the German Hazardous Incidents Ordinance (Störfallverordnung, 12. BImSchV) can be found here . |
| 102 | BGA Lebach | 66822 Lebach | 2012 | 1.245 kW | Heating of a home and supply of municipal property (hospital, school centre) |
| 103 | BGA Cremlingen | 38162 Cremlingen | 2012 | 1.237 kW | Wood drying 2017 upgrade from 600 kWel to 1.304 kWel |
| 104 | BGA Energiepark Neuenwege | 26316 Varel | 2012 | 1.210 kW | The input consists of 10 % grass silage, Gravity overflow, 2018 Extension of one digestate storage tank Information for the public in accordance with sections 8a and 11 of the German Hazardous Incidents Ordinance (Störfallverordnung, 12. BImSchV) can be found here . |
| 105 | BGA Randkanal Nord | 50769 Köln | 2012 | 1.200 kW | Operated by utility company, Heat use |
| 106 | BGA Gut Böckel | 32289 Rödinghausen | 2010 | 1.200 kW | Heating of an estate |
| 107 | BGA Salzwedel (Biomethan-BHKW) | 29410 Salzwedel | 2012 | 1.189 kW | 2013 upgrade to 2.378 kWel |
| 108 | BGA Salzwedel BHKW 2 | 29410 Salzwedel | 2013 | 1.189 kW | |
| 109 | BGA Bad Freienwalde | 16259 Bad Freienwalde | 2010 | 1.187 kW | Technology module, 2018 upgrade from 550 kWel to 1.187 kWel |

| | | | | | |
|-----|----------------------------------|---------------------------|------|----------|--|
| 110 | BGA Vahldorf | 39345 Niedere Börde | 2019 | 1.174 kW | Gas wash with Genosorb Biomethane injection of 700 Nm ³ /h Information for the public in accordance with sections 8a and 11 of the German Hazardous Incidents Ordinance (Störfallverordnung, 12. BImSchV) can be found here . |
| 111 | BGA Krukum | 49328 Melle | 2010 | 1.160 kW | Information for the public in accordance with sections 8a and 11 of the German Hazardous Incidents Ordinance (Störfallverordnung, 12. BImSchV) can be found here . |
| 112 | BGA Tespe | 21395 Tespe | 2009 | 1.155 kW | Pile foundation for the tanks, Joint operation by farmer and bioconstruct, complete thermal utilisation through wood drying Information for the public in accordance with sections 8a and 11 of the German Hazardous Incidents Ordinance (Störfallverordnung, 12. BImSchV) can be found here . |
| 113 | BGA Hohenziatz 2 | 39291 Möckern-Lütgenziatz | 2018 | 1.150 kW | |
| 114 | BGA Ellingstedt | 24870 Ellingstedt | 2005 | 1.126 kW | 1017 upgrade from 500 kWel to 1100 kWel |
| 115 | BGA Bergzow | 39307 Bergzow | 2010 | 1.120 kW | Mixing tank and Hydrolysis |
| 116 | BGA Hoxfeld | 46325 Borken | 2005 | 1.100 kW | Waste processing plant, Vapourisation of feedstock for micro-gas turbine, Hydrolysis and hygienisation |
| 117 | BGA Deister | 31848 Bad Münder | 2011 | 1.076 kW | 2017 upgrade from 526 kWel to 1076 kWel |
| 118 | BGA Norderende | 24887 Silberstedt | 2011 | 1.075 kW | The input consists of 5% grass silage, 2017 upgrade from 526 kWel to 1075 kWel Information for the public in accordance with sections 8a and 11 of the German Hazardous Incidents Ordinance (Störfallverordnung, 12. BImSchV) can be found here . |
| 119 | BGA AEV Neukammer 1 | 14641 Nauen | 2009 | 1.074 kW | Modification and expansion of existing biogas plant from 537 kWel to 2 x 537 kWel, 2 km local heat grid to a local hospital |
| 120 | BGA Hoya | 27318 Hoya | 2008 | 1.067 kW | Production heat for neighbouring industrial enterprises Information for the public in accordance with sections 8a and 11 of the German Hazardous Incidents Ordinance (Störfallverordnung, 12. BImSchV) can be found here . |
| 121 | BGA Strasburger Landgesellschaft | 27432 Bevern | 2013 | 1.064 kW | 2017 upgrade from 515 kWel to 1.064 kWel |
| 122 | BGA Kappeln | 24376 Kappeln | 2011 | 1.034 kW | Micro gas distribution system with satellite CHP unit |
| 123 | BGA Schuby 2 | 24850 Schuby | 2007 | 1.026 kW | Heating of barns and homes |

| | | | | | |
|-----|------------------------------|---------------------------------|------|----------|---|
| 124 | BGA Harsefeld | 21698 Harsefeld | 2011 | 1.010 kW | 2012 upgrade to 1.010 kWel |
| 125 | BGA Dahlenburg 1+2 | 21368 Dahlenburg | 2007 | 1.000 kW | Satellite CHP unit, Heat use, Municipal utility company |
| 126 | BGA Ihlowerfehn | 26632 Ihlow | 2006 | 950 kW | Joint operation by farmer and bioconstruct, Supply of municipal property, Mono-fermentation of energy crops, 2011 upgrade to 976 kWel |
| 127 | BGA Linne Erw | 49143 Bissendorf | 2012 | 940 kW | |
| 128 | BGA Reetz | 14827 Wiesenburg, OT Reetz | 2012 | 930 kW | 2017 upgrade from 400 kWel to 930 kW Information for the public in accordance with sections 8a and 11 of the German Hazardous Incidents Ordinance (Störfallverordnung, 12. BImSchV) can be found here . |
| 129 | BGA Kleinburgwedel | 30938 Burgwedel | 2013 | 920 kW | Information for the public in accordance with sections 8a and 11 of the German Hazardous Incidents Ordinance (Störfallverordnung, 12. BImSchV) can be found here . |
| 130 | BGA Dratum | 49326 Melle | 2008 | 910 kW | Heating of farmstead and poultry barn Information for the public in accordance with sections 8a and 11 of the German Hazardous Incidents Ordinance (Störfallverordnung, 12. BImSchV) can be found here . |
| 131 | BGA Havendorf | Nordenham | 2011 | 900 kW | Use of a Hammermill, 2016 upgrade to 900 kW Information for the public in accordance with sections 8a and 11 of the German Hazardous Incidents Ordinance (Störfallverordnung, 12. BImSchV) can be found here . |
| 132 | BGA Gut Wiede | 31609 Balge | 2012 | 900 kW | Heating of a school, 2018 upgrade from 400 kWel to 800 kWel |
| 133 | BGA Kleindemsin | 39307 Kleindemsin | 2019 | 880 kW | Satellite CHP |
| 134 | BGA Schreiersort | 26434 Wangerland | 2011 | 820 kW | Digestate drying, The input consists of 35% grass silage |
| 135 | BGA Deblinghausen | 31595 Steyerberg | 2013 | 800 kW | |
| 136 | BGA Wredenhagen | 17209 Wredenhagen | 2014 | 800 kW | |
| 137 | BGA Sotterhausen | 06542 Allstedt | 2014 | 800 kW | |
| 138 | BGA Heinersdorf (Tempelberg) | 15518 Steinhöfel OT Heinersdorf | 2015 | 800 kW | |
| 139 | BGA Wittkiel | 24409 Stoltebüll | 2006 | 791 kW | Heating of pig barns and several holiday homes, Drying wood chippings, 2008: upgrade from 526 kWel to 791 kWel |

| | | | | | |
|-----|------------------------|----------------------|------|--------|--|
| 140 | BGA Aschersleben | 06449 Aschersleben | 2011 | 790 kW | Installation of our pre-fabricated technology module |
| 141 | BGA Vielank | 19303 Vielank | 2014 | 780 kW | Information for the public in accordance with sections 8a and 11 of the German Hazardous Incidents Ordinance (Störfallverordnung, 12. BImSchV) can be found here . |
| 142 | BGA Kloostergut Loccum | 31547 Rehburg-Loccum | 2012 | 780 kW | Operating company is Eggers GmbH & Co KG. Information for the public in accordance with sections 8a and 11 of the German Hazardous Incidents Ordinance (Störfallverordnung, 12. BImSchV) can be found here . |
| 143 | BGA Auegas Harsefeld | 21698 Harsefeld | 2010 | 750 kW | |
| 144 | BGA Holte | 31613 Wietzen | 2012 | 750 kW | Heat use by Wiesenhof company |
| 145 | BGA Hödingen | 39356 Hödingen | 2014 | 740 kW | 2016 upgrade from 340 kWel to 740 kWel |
| 146 | BGA Sterup | 24996 Sterup | 2010 | 716 kW | Installation of our pre-fabricated technology module, The input consists of 5% grass silage |
| 147 | BGA Burow | 17089 Burow | 2010 | 715 kW | Use of a Hammermill |
| 148 | BGA Hammrich | 26632 Ihlow | 2012 | 650 kW | Gravity overflow, The input consists of 10% grass silage, Satellite CHP unit |
| 149 | BGA Neerstedt | 27801 Neerstedt | 2012 | 640 kW | |
| 150 | BGA Emsdetten | 48282 Emsdetten | 2013 | 637 kW | |
| 151 | BGA Schlochtern 1 | 49326 Melle | 2018 | 637 kW | CHP only |
| 152 | BGA Reher | 25593 Reher | 2007 | 625 kW | |
| 153 | BGA Hamweddel | 24816 Hammweddel | 2007 | 625 kW | |
| 154 | BGA Großenwiehe | 24967 Großenwiehe | 2008 | 625 kW | Delivery of heat to the community and to a forwarding agency for cleaning tanks, Operation of a drying plant to reduce the amount of digestate |
| 155 | BGA Ostercadowisch | 21787 Oberndorf | 2011 | 625 kW | Heating system for the supply of a market garden |
| 156 | BGA Nortorf | 24589 Schülpe | 2010 | 620 kW | Satellite CHP unit, Digestate drying |
| 157 | BGA Mühlenweg | 25899 Klixbüll | 2011 | 620 kW | |
| 158 | BGA Hohengöhren | 39524 Hohengöhren | 2013 | 615 kW | 2018 upgrade from 265 kW to 615 kW |
| 159 | BGA Kolbow | 19300 Kolbow | 2012 | 600 kW | |
| 160 | BGA Friedrichsau | 24855 Jübek | 2011 | 600 kW | Digestate drying |

| | | | | | |
|-----|--------------------------|----------------------------------|------|--------|---|
| 161 | BGA Gültz | 17089 Gültz | 2011 | 600 kW | Technology module |
| 162 | BGA Dossow | 16909 Wittstock OT Dossow | 2012 | 600 kW | |
| 163 | BGA Pritzier | 19230 Pritzier | 2015 | 600 kW | |
| 164 | BGA Klecken | 21224 Rosengarten-Klecken | 2012 | 560 kW | Heating of greenhouses, Satellite CHP unit |
| 165 | BGA Kaarßen Erweiterung | 19273 Kaarßen | 2012 | 550 kW | Information for the public in accordance with sections 8a and 11 of the German Hazardous Incidents Ordinance (Störfallverordnung, 12. BImSchV) can be found here . |
| 166 | BGA Wienhausen | 29342 Wienhausen | 2019 | 550 kW | |
| 167 | BGA Dahlenburg 4 | 21368 Dahlenburg | 2010 | 549 kW | |
| 168 | BGA Garze | 21354 Bleckede | 2009 | 540 kW | Gravity overflow 2019 upgrade from 190 kWel to 540 kWel |
| 169 | BGA Holzhausen | 16866 Kyritz | 2010 | 537 kW | Installation of our pre-fabricated technology module |
| 170 | BGA Oehna | 14913 Niedergörsdorf OT Rohrbeck | 2009 | 537 kW | Operated by utility company, Installation of our pre-fabricated technology module, digestate separation (in planning) |
| 171 | BGA Hohenzitz | 39291 Hohenzitz | 2010 | 537 kW | Mixing tank |
| 172 | BGA Neese | 19300 Neese | 2009 | 536 kW | Installation of our pre-fabricated technology module |
| 173 | BGA Polenzko | 39264 Polenzko | 2008 | 530 kW | Hydrolysis, Local heat grid to supply several homes, Dual-fuel CHP unit |
| 174 | BGA Berge | 14641 Berge | 2014 | 530 kW | Information for the public in accordance with sections 8a and 11 of the German Hazardous Incidents Ordinance (Störfallverordnung, 12. BImSchV) can be found here . |
| 175 | BGA Bartolfelde | 37431 Bad Lauterberg | 2013 | 530 kW | |
| 176 | BGA Ribbeck Erweiterung | 14641 Ribbeck | | 530 kW | |
| 177 | BGA Peckfitz | 39649 Peckfitz | 2014 | 530 kW | |
| 178 | BGA Hahausen Erweiterung | 38729 Hahausen | 2017 | 530 kW | Extension of existing biogas plant by a CHP |
| 179 | BGA Schuby 1 | 24850 Schuby | 2004 | 526 kW | Information for the public in accordance with sections 8a and 11 of the German Hazardous Incidents Ordinance (Störfallverordnung, 12. BImSchV) can be found here . |

| | | | | | |
|-----|---------------------|-----------------------------|------|--------|---|
| 180 | BGA Braderup | 25923 Braderup | 2005 | 526 kW | Heating of pig barns and several homes, 2009 upgrade to 716 kWel, 2010 upgrade to 906 |
| 181 | BGA Götzberg | 24558 Henstedt-Ulzburg | 2007 | 526 kW | Dry fermentation, Heating of greenhouses and pig barns |
| 182 | BGA Horstedt | 25860 Horstedt | 2006 | 526 kW | Separation of input material before the digestion, Dry fermentation, Heating of barns and homes |
| 183 | BGA Schuby 1 (2006) | 24850 Schuby | 2006 | 526 kW | Information for the public in accordance with sections 8a and 11 of the German Hazardous Incidents Ordinance (Störfallverordnung, 12. BImSchV) can be found here . |
| 184 | BGA Sechtem | 53308 Bornheim | 2007 | 526 kW | Heating of a home and greenhouses |
| 185 | BGA Klein Offenseth | 25365 Klein Offenseth-Sparr | 2007 | 526 kW | Micro-gas distribution system with satellite-CHP, Heating of greenhouses, 2007: upgrade from 526 kWel to 1,151 kWel |
| 186 | BGA Dahlenburg 3 | 21368 Dahlenburg | 2019 | 526 kW | |
| 187 | BGA Westerende | 26632 Ihlow | 2008 | 526 kW | Dry fermentation |
| 188 | BGA Reichenbach | 09648 Kriebstein | 2008 | 526 kW | Heating of homes and barns |
| 189 | BGA Redefin | 19230 Redefin | 2008 | 526 kW | Micro gas distribution system (17km), approx. 30% solid manure, Dry fermentation, Joint operation Information for the public in accordance with sections 8a and 11 of the German Hazardous Incidents Ordinance (Störfallverordnung, 12. BImSchV) can be found here . |
| 190 | BGA Schloss Wissen | 47652 Weeze | 2012 | 526 kW | |
| 191 | BGA Hingste | 27318 Hoya | 2012 | 520 kW | Heat use by neighbouring industrial enterprises, 2016 upgrade from 265 kWel to 520 kWel |
| 192 | BGA Grasberg | 28877 Grasberg | 2013 | 515 kW | |
| 193 | BGA Ihausen | 26655 Westerstede | 2005 | 500 kW | The input consists of 85% grass silage, digestate separation, 2007: upgrade from 190 kWel to 500 kWel |
| 194 | BGA Vörden | 49434 Neuenkirchen-Vörden | 2010 | 500 kW | Connection of barns for input supply to the biogas plant, The biogas plant is almost solely operated with slurry |
| 195 | BGA Wietzen | 31613 Wietzen | 2006 | 500 kW | Heating of barns and homes, Supply of municipal property, Dry fermentation |
| 196 | BGA Esperstoft | 24887 Silberstedt | 2006 | 500 kW | |
| 197 | BGA Siedenbollentin | 25860 Siedenbollentin | 2006 | 500 kW | Heating of barn and farm building |

| | | | | | |
|-----|-------------------------|------------------------------------|------|--------|--|
| 198 | BGA Stumpenhau- sen | 31613 Wietzen | 2010 | 500 kW | |
| 199 | BGA Brekling | 24881 Nübel | 2007 | 500 kW | Heating of homes and barns, Dry fermenta- tion |
| 200 | BGA Barl | 32369 Rahden- Wehe | 2010 | 500 kW | Micro gas distribution system with satellite CHP unit, The input consists of 10% grass silage |
| 201 | BGA Volkringhau- sen | 58802 Balve | 2009 | 500 kW | Heating of homes and barns |
| 202 | BGA Staffhorst | 27254 Staffhorst | 2010 | 500 kW | 2012 upgrade to 500 kWel 2013 upgrade to 750 kWel |
| 203 | BGA Nutteln | 32369 Rahden | 2010 | 500 kW | Heating system fort he supply of homes and crafts enterprises, Joint operation by farmer and bioconstruct |
| 204 | BGA Varl | 32369 Rahden | 2010 | 500 kW | 2012 upgrade to 500 kWel Information for the public in accordance with sections 8a and 11 of the German Hazardous Incidents Ordinance (Störfallverordnung, 12. BImSchV) can be found here . |
| 205 | BGA Schwege | 49219 Schwege | 2011 | 500 kW | 2019 upgrade from 250 kWel to 500 kWel |
| 206 | BGA Schwagstorf | 49179 Ostercap- peln | 2010 | 500 kW | 2012 upgrade to 500 kWel Information for the public in accordance with sections 8a and 11 of the German Hazardous Incidents Ordinance (Störfallverordnung, 12. BImSchV) can be found here . |
| 207 | BGA Dörpum 2 | 25821 Dörpum | 2010 | 500 kW | Heating of barns and homes, Joint operation by 8 farmers 2019 upgrade from 625 kWel to 1.526 kWel |
| 208 | BGA Füchtorf | 48336 Sassenberg | 2011 | 500 kW | |
| 209 | BGA Rodewald | 31637 Rodewald | 2012 | 500 kW | |
| 210 | BGA Baljerdorf | 21730 Balje | 2012 | 500 kW | Heating of farmstead and poultry barn, Pile foundation |
| 211 | BGA Spradow | 32257 Bünde | 2014 | 500 kW | |
| 212 | BGA Hübitz | 06308 Hübitz | 2014 | 500 kW | Digestate drying, Digestate separation |
| 213 | BGA Schöninghs- dorf | 49767 Twist | 2010 | 499 kW | Heating of broiler barns, Separation |
| 214 | BGA Siegersleben | 39365 Ovelgünne OT Siegersleben | 2014 | 430 kW | |

| | | | | | |
|-----|-----------------------|--------------------------------|------|--------|--|
| 215 | BGA Solschen | 31241 Solschen | 2017 | 410 kW | 700 Nm ³ /h gas feed-in plant Information for the public in accordance with sections 8a and 11 of the German Hazardous Incidents Ordinance (Störfallverordnung, 12. BImSchV) can be found here . |
| 216 | BGA Brome Erweiterung | 38465 Brome | 2012 | 400 kW | |
| 217 | BGA Heede | 26892 Heede | 2012 | 400 kW | |
| 218 | BGA Parey | 39317 Elbe Parey | 2009 | 380 kW | Mixing tank and Hydrolysis |
| 219 | BGA Beringstedt | 25575 Beringstedt | 2010 | 380 kW | The input consists of 5% grass silage |
| 220 | BGA Embühren | 24819 Embühren | 2009 | 380 kW | |
| 221 | BGA Schülpe | 24813 Schülpe | 2009 | 380 kW | |
| 222 | BGA Lütjenwestedt | 25585 Lütjenwestedt | 2009 | 380 kW | |
| 223 | BGA Jevenstedt | 24808 Jevenstedt | 2009 | 380 kW | |
| 224 | BGA Beldorf | 25557 Beldorf | 2010 | 380 kW | Digestate drying, The input consists of 10% grass silage |
| 225 | BGA Holterdorf | 49326 Melle | 2010 | 380 kW | approx. 40% solid manure, Micro gas distribution system with satellite CHP unit in 600 m distance Information for the public in accordance with sections 8a and 11 of the German Hazardous Incidents Ordinance (Störfallverordnung, 12. BImSchV) can be found here . |
| 226 | BGA Ribbeck | 14641 Ribbeck | 2010 | 370 kW | Installation of our pre-fabricated technology module, Gravity overflow, digestate separation, Heat use (in planning) 2019 upgrade from 370 kWel to 900 kWel |
| 227 | BGA Barum | 21357 Barum | 2011 | 370 kW | |
| 228 | BGA Rieste | 49597 Rieste | 2003 | 335 kW | Waste processing plant, 2005: upgrade from 340 kWel to 520 kWel Information for the public in accordance with sections 8a and 11 of the German Hazardous Incidents Ordinance (Störfallverordnung, 12. BImSchV) can be found here . |
| 229 | BGA Falkenhain | 04808 Falkenhain | 2012 | 265 kW | |
| 230 | BGA Bellingen | 39517 Tangerhütte OT Bellingen | 2011 | 265 kW | Information for the public in accordance with sections 8a and 11 of the German Hazardous Incidents Ordinance (Störfallverordnung, 12. BImSchV) can be found here . |
| 231 | BGA Harsewinkel | 33428 Harsewinkel | 2012 | 265 kW | |

| | | | | | |
|-----|-------------------------------|-----------------------------------|------|--------|--|
| 232 | BGA Hunteburg | 49163 Bohmte-Hunteburg | 2013 | 265 kW | |
| 233 | BGA Heitzhausen | 27243 Winkelsett | 2013 | 265 kW | |
| 234 | BGA Handrup | 49383 Handrup | 2012 | 265 kW | |
| 235 | BGA Jeggeleben | 39624 Kalbe/Milde (OT Jeggeleben) | 2013 | 265 kW | |
| 236 | BGA Kremmen | 16766 Kremmen | 2014 | 265 kW | |
| 237 | BGA Hustädte | 49328 Melle | 2001 | 255 kW | Plug-flow-fermenter with gas attached gas accumulator - PLC controlled with visualisation, Separate receiving hall, External desulphurisation in a cross-current process |
| 238 | BGA Dretzen | 14793 Buckautal OT Dretzen | 2011 | 250 kW | digestate separation |
| 239 | BGA Rothemann | 36124 Eichenzell | 2010 | 250 kW | |
| 240 | BGA Ebbinghof | 57392 Schmallenberg | 2009 | 250 kW | Heat use in a hotel, Connection to existing heat grid operated with wood chip heating. |
| 241 | BGA Oster-Ohrstedt | 25885 Oster-Ohrstedt | 2010 | 250 kW | The input consists of 15% grass silage |
| 242 | BGA Behrendorf | 25850 Behrendorf | 2010 | 250 kW | The input consists of 20% grass silage |
| 243 | BGA Ostuffeln | 59457 Werl | 2010 | 250 kW | Heat use by residence of St. Josef der von Mellin foundation, The input consists of 5% grass silage |
| 244 | BGA Bunsöh | 25767 Bunsöh | 2010 | 250 kW | The input consists of 5% grass silage |
| 245 | BGA Christenthal | 25593 Christenthal | 2010 | 250 kW | |
| 246 | BGA Labbeck | 47665 Sonsbeck | 2011 | 250 kW | Gravity overflow, Dual-fuel CHP unit |
| 247 | BGA Bebra | 31515 Wunstorf | 2011 | 250 kW | |
| 248 | BGA Bawinkel | 49844 Bawinkel | 2013 | 250 kW | Gas management system |
| 249 | BGA Winzlar | 31547 Rehburg-Loccum | 2013 | 250 kW | |
| 250 | BGA Eitzte | 27446 Selsingen | 2014 | 250 kW | The biogas plant is almost solely operated with slurry, Heating of milking parlour and homes |
| 251 | BGA Marren | 49699 Lindern | 2014 | 250 kW | |
| 252 | BGA Osterholz-Scharmbeck Erw. | 27711 Osterholz-Scharmbeck | 2015 | 250 kW | |

| | | | | | |
|-----|--------------------------------|-------------------------------------|------|--------|---|
| 253 | BGA Ruhlsdorf | 14947 Nuthe-Urstromtal OT Ruhlsdorf | 2014 | 250 kW | |
| 254 | BGA Reesdorf | 14547 Reesdorf | 2014 | 250 kW | |
| 255 | BGA Langenweddingen | 39171 Langenweddingen | 2014 | 220 kW | |
| 256 | BGA Linne | 49143 Bissendorf | 2009 | 190 kW | Connection of barns and existing manure storages for input supply to the biogas plant, The biogas plant is almost solely operated with slurry. |
| 257 | BGA Osterstedt | 25590 Osterstedt | 2009 | 190 kW | |
| 258 | BGA Wetter | 49328 Melle | 2009 | 190 kW | Wood drying |
| 259 | BGA Elve | 48336 Sassenberg | 2010 | 190 kW | |
| 260 | BGA Potzwenden | 37136 Landolfshausen OT Potzwenden | 2014 | 190 kW | |
| 261 | BGA Neu Jabel | 19303 Neu Jabel | 2014 | 190 kW | |
| 262 | BGA Groß Bäbelin | 18292 Linstow | 2002 | 160 kW | Heating of homes, recreation rooms and pig barns |
| 263 | BGA Dedinghausen | 59558 Lippstadt-Dedinghausen | 2019 | 75 kW | |
| 264 | BGA Agro Neukammer 2 | 14641 Nauen OT Neukammer | 2011 | | Biomethane injection of 700 Nm ³ /h |
| 265 | BGA Schuby I 2011 (GSD) | 24850 Schuby | 2011 | | Information for the public in accordance with sections 8a and 11 of the German Hazardous Incidents Ordinance (Störfallverordnung, 12. BImSchV) can be found here . |
| 266 | BGA Rahden Erweiterung (GSD) | 32369 Rahden | 2013 | | |
| 267 | BGA Bornhöved (NG) | 24617 Bornhöved | 2013 | | |
| 268 | BGA Wendlinghausen (Rührwerke) | 32694 Dörentrup | 2014 | | |
| 269 | BGA Barby (MVV) | 39249 Barby | 2018 | | only final storage tank with gas accumulator roof |
| 270 | BGA Staßfurt (MVV) (GRL) | 39418 Staßfurt | 2018 | | |
| 271 | BGA Klein Wanzleben (GRL) | 39164 Wanzleben | 2019 | | only final storage tank with gas accumulator roof |
| 272 | BGA Brumby (Gas-technik) | 39343 Hohe Börde | 2020 | | |

| | | | | | |
|-----|------------------------------------|-------------------|------|--|---|
| 273 | BGA Lette | 48653 Coesfeld | - | | Not yet in operation |
| 274 | BGA Deetz | 39264 Deetz | - | | Not yet in operation |
| 275 | BGA Velen | 46342 Velen | - | | Not yet in operation |
| 276 | BGA Elven | 56250 Elven | - | | Not yet in operation |
| 277 | BGA Silberstedt | 24887 Silberstedt | 2007 | | 2008: upgrade from 625 kWel to 1,250 kWel, 2012: upgrade from 1,250 kWel to 1,887 kWel, Drying wood chippings |
| 278 | BGA Tripkau (BHKW) | 19273 Tripkau | 2007 | | Information for the public in accordance with sections 8a and 11 of the German Hazardous Incidents Ordinance (Störfallverordnung, 12. BImSchV) can be found here . |
| 279 | BGA Ihlowerfehn Erw. | 26632 Ihlow | 2013 | | |
| 280 | BGA Volkringhausen, 1. Erweiterung | 58802 Balve | 2010 | | |
| 281 | BGA Pasel | 58840 Plettenberg | 2013 | | |
| 282 | BGA Schwagstorf Erweiterung 1 | 49179 Ostercapeln | 2012 | | Information for the public in accordance with sections 8a and 11 of the German Hazardous Incidents Ordinance (Störfallverordnung, 12. BImSchV) can be found here . |
| 283 | BGA Nutteln Erweiterung | 32369 Rahden | 2013 | | |
| 284 | BGA Rüster Feld | 46514 Schermbeck | - | | Not yet in operation |